THE ECO DECLARATION

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).
Additional information regarding each item may be found under P14.

Brand *	***Hewlett-Packard***	**Logo**
Company name *	***Hewlett-Packard***	
Contact information *	Hans Wendschlag *http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail*	
Internet site *	*http://www.hp.com/hpinfo/globalcitizenship/environment/*	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.	
Type of product *	***Scanner***
Commercial name *	***Scanjet 5590P Digital Flatbed Scanner***
Model number *	***L1912A***
Issue date *	***September 2014***
Intended market *	☐ **Global** ☒ **Europe** ☒ **Asia, Pacific & Japan** ☐ **Americas** ☐ **Other** ***except Japan***
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		**Requirement met**	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	☒	☐
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	☒	☐

Model number *	***L1912A***		
Issue date *	***September 2014***	**Logo**	

Product environmental attributes - Legal requirements		**Requirement met**		
Item		Yes	No	n.a.
P1	**Hazardous substances and preparations**			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	☒	☐	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	☒	☐	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	☒	☐	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	☒	☐	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	☒	☐	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	☐	☐	☒
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	☐	☐	☒
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.	☐	☐	☒
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm^2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	☐	☐	☒
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): *http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html*	☒	☐	☐
P2	**Batteries**			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	☐	☐	☒
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	☐	☐	☒
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be “easily removable”. (See legal reference)	☐	☐	☒
P3	**Safety, EMC connection to the telephone network and labeling**			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	☒	☐	☐
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	☒	☐	☐
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	☐	☐	☒
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	☒	☐	☐
P4	**Consumable materials**			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	☐	☐	☒
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	☐	☐	☒
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	☐	☐	☒
P5	**Product packaging**			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	☒	☐	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	☒	☐	☐
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	☒	☐	☐

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	***L1912A***		
Issue date *	***September 2014***	**Logo**	

Product environmental attributes - Market requirements - Environmental conscious design		**Requirement met**		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	**Treatment information**			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	☒	☐	☐
P7	**Design** **Disassembly, recycling**			
P7.1*	Parts that have to be treated separately are easily separable	☒	☐	☐
P7.2*	Plastic materials in covers/housing have no surface coating.	☒	☐	☐
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	☒	☐	☐
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	☒	☐	☐
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	☒	☐	☐
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	☒	☐	☐
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	☐	☐	☒
P7.8*	Upgrading can be done using commonly available tools	☐	☐	☒
P7.9.	Spare parts are available after end of production for: ***3*** years			☐
P7.10	Service is available after end of production for: ***3*** years			☐
	Material and substance requirements			
P7.11*	Product cover/housing material type: Material type: ***HIPS*** Material type: ***ABS*** Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.	☐	☒	☐
P7.13	Electrical cable insulation materials of signal cables are PVC free	☐	☒	☐
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	☐	☐	☐
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	☐	☐	☐
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:	☐	☐	☐
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) ☐, TBBPA (reactive) ☐, Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:	☐	☐	☐
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	☐	☐	☐
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	☐	☐	☐
P7.20	Of total plastic parts' weight >25g, recycled material content is **%**.			
P7.21	Of total plastic parts' weight >25g, biobased material content is **%**.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: ***3*** and max. mercury content per lamp: ***2.5*** mg	☐	☒	☐
P8	**Batteries**			
P8.1*	Battery chemical composition:			☒
P8.2	Batteries meet the requirements of the following voluntary program/s:			☒

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	***L1912A***		
Issue date *	***September 2014***	**Logo**	

Product environmental attributes - Market requirements (continued)					**Requirement met**
Item					Yes No n.a.
P9	**Energy consumption**				
9.1	For the product the following power levels or energy consumptions are reported:				
Energy mode *	Power level at **100** V AC	Power level at **115** V AC	Power level at **230** V AC	Reference / Standard for energy modes and test method *	☐
ENERGY STAR® Ready State	***9.4*** W	***9.4*** W	***9.6*** W	ENERGY STAR® Imaging Equipment Test Method (Ver. 2.0)	☐
ENERGY STAR® Off Mode	***0.1*** W	***0.1*** W	***0.2*** W	ENERGY STAR® Imaging Equipment Test Method (Ver. 2.0)	☐
ENERGY STAR® Sleep Mode	***2.4*** W	***2.4*** W	***2.5*** W	ENERGY STAR® Imaging Equipment Test Method (Ver. 2.0)	☐
ENERGY STAR® Standby Mode	W	W	W	ENERGY STAR® Imaging Equipment Test Method (Ver. 2.0)	☐
ENERGY STAR® Auto-Off Mode	W	W	***0.2*** W	ENERGY STAR® Imaging Equipment Test Method (Ver. 2.0)	☐
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W	ENERGY STAR® Program for External Power Supplies (Ver. 2.0)	☐
PTEC * Typical Energy Consumption	W	W	W		☒
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week	ENERGY STAR® Imaging Equipment Test Method (Ver. 2.0)	☒
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/year		☒
Display resolution* : Megapixels					☒
Print Speed * : Images per minute					☒
Default time to enter energy save mode: ***15*** minutes				ENERGY STAR® Imaging Equipment Test Method (Ver. 2.0)	☐
P9.2*	Information about the energy save function is provided with the product.				☒ ☐ ☐
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: ***2.0*** Tier: ***n.a.*** Product category: ***Scanner*** Others specify:				☒ ☐ ☐ ☐ ☐ ☒
P10	**Emissions**				
	Noise emission – Declared according to ISO 9296				

P10.1	Mode	Mode description	Declared A-weighted sound power level L_{WAd} (B)	Declared A-weighted sound pressure level L_{pAm} (dB)		
				Operator position ☒ Desktop ☐ or Desk side ☐	Bystander positions ☐ (only if product is not operator attended)	
	Idle	* ***idle/ready mode***	* ***1.6***	***26***		☐
	Operation	* ***300dpi, grayscale***	* ***6.2***	***52***		☐
	Other mode					
	Measured according to: ☒ ISO7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L_{pAm} measurement distance m)					
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:					☐ ☐ ☒

Model number *	***L1912A***		
Issue date *	***September 2014***	**Logo**	

Product environmental attributes - Market requirements (continued)		**Requirement met**		
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard ☐, other specify:	☐	☐	☒
P10.4	Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC			☒
P10.5	Chemical emission requirements of the following voluntary program/s are met for : Dust ☐ Ozone ☐ Styrene ☐ Benzene ☐ TVOC ☐	☐	☐	☒
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:	☐	☐	☒
P11	**Consumable materials for printing products**			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	☐	☐	☒
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	☒	☐	☐
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	☐	☐	☒
P12	**Ergonomics for computing products**			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	☐	☐	☒
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	☐	☐	☒
P13	**Packaging and documentation**			
P13.1*	Product packaging material type(s): ***Corrugated*** weight (kg): ***0.71*** Product packaging material type(s): ***EPS*** weight (kg): ***0.34*** Product packaging material type(s): ***PE-LD*** weight (kg): ***0.08***			
P13.2*	Product plastic packaging is free from PVC.	☒	☐	☐
P13.3*	Specify media for user and product documentation (tick box): Electronic ☒, Paper ☒, Other ☐			☐
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: ***0*%**			☐
Rev. P13.5	User and product documentation do not contain chlorine bleached paper	☒	☐	☐
P14	**Additional information (See Note B4)**			
All	Product environmental information contained in this declaration is valid as of the date the declaration is published. Changes to external standards referenced in the IT Eco-Declaration may invalidate some information contained in this declaration over time.			
P9	1. Many printers are offered in multiple configurations within the model family. Energy efficiency data listed in this declaration is for an ENERGY STAR® qualified configuration if offered within the model family . HP printers marked with the ENERGY STAR® Logo qualify for the U.S. Environmental Protection Agency (EPA) ENERGY STAR® award for imaging equipment. For more information about HP's ENERGY STAR® qualified products, go to hp.com: http://www.hp.com/ and select the applicable market segments and product categories to find printers or scanners that meet the ENERGY STAR® specifications. 2. If a model family does not offer ENERGY STAR® qualified configurations, then energy efficiency data listed is for a typically configured model. 3. Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically configured product base that qualifies for ENERGY STAR® if offered within the model family. If optional components or modules are added, these can change the energy efficiency data listed above. 4. European Union Commission Regulation 1275/2008- Energy Information:			

Mode/Condition	Power (W)	Default time to (if applicable)
Off	***0.2***	***120 minutes***
Standby (if applicable)	***Not applicable***	***Not applicable***
Condition with network standby (sleep mode)	***2.5***	***15 minutes***
Condition with network standby (sleep mode) when all wired network ports are connected and all wireless network ports are activated	***2.5***	Not applicable

P10.1	5.	Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically configured product base model only. If optional items with moving parts are added, these can change acoustic noise values for which HP can take no responsibility.

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

P10.3	6.	Chemical emissions tests are perfomed on a representative product base model only.
P13.1	7.	Packaging material information published on the ECMA 370 The Eco Declaration represents the printer model with the series expected to have the highest sales volume.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
“REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

THE ECO DECLARATION

Company environmental profile - THE ECO DECLARATION

Brand	***HP***	***Logo***
Company name *	***Hewlett-Packard Company***	
Contact information *	***HP Environmental Contact Centre (ECC)*** ***environment@hp.com***	
Internet site *	***www.hp.com/hpinfo/globalcitizenship/environment/index.html***	
Issue date *	***2014-06***	
Intended market *	☒ **Global** ☐ **Europe** ☐ **Asia, Pacific & Japan** ☐ **Americas** ☐ **Other**	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6.

Quality control		**Requirement met**	
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	☒	☐
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.	☒	☐

Company environmental profile - Legal requirements		**Requirement met**		
Item		Yes	No	n.a.
C1	**Product recycling**			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (see legal reference)	☒	☐	
C2	**Battery recycling**			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (see legal reference) or pays eco tax / fee where required.	☒	☐	
C3	**Packaging recycling**			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (see legal reference)	☒	☐	

Company environmental profile - Market requirements		**Requirement met**		
Item		Yes	No	n.a.
C4	**Environmental policy and environmental management**			
C4.1*	The company has a documented environmental policy approved by the management.	☒	☐	
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ☒ ISO 14001 ☒ Other as specified in C6	 ☒ ☒	 ☐ ☐	
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of ☒ The Global Reporting Initiative ☐ Other as specified in C6	☒	☐	☐
C5	**Recycling**			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	☒	☐	
C6	**Additional information**			
	HP has received ISO 14001 certification for its manufacturing operations (Worldwide Manufacturing of Computing and Imaging Products and Related Operations) and for product design for its Personal Systems Products and LaserJet and Enterprise Printing Products. The product design certifications include HP-wide product environmental design processes (such as HP's General Specification for the Environment) that cover all HP products. ***HP is committed to responsible business practices and transparency in its global citizenship policies and performance. We have a long history of working with suppliers to monitor and improve their social and environmental responsibility (SER) performance when required, as well as improving standards in the industry. HP endorses the EICC Code of Conduct in its entirety, and we have supplemented it with additional requirements specific to freedom of association as well as HP's Student and Dispatch Worker Guidance Standard for Supplier Facilities in the People's Republic of China (PRC). HP also has a strong Global Human Rights Policy in place. HP expects its suppliers to establish policies and processes regarding conflict minerals. HP conducts due diligence on its supply chain annually including requesting information about our suppliers' own due diligence and the smelters and refiners used. HP was the first IT company to publish its supply chain smelter list. HP follows the Global Reporting Initiative (GRI) guidelines as a basis for reporting. The GRI index provides easy reference to HP's Living Progress Report (LPR) content. HP offers take back services of***			

products and printing suppliers in some 70 countries. Please refer to HP's Living Progress Report for more details on our global efforts.

Legal references Europe Annex A

Reference	Declaration item
2002/96/EC (WEEE directive)	C1.1
2006/66/EC (Battery and accumulators Directive)	C1.2
2004/12/EC (Directive on packaging and packaging waste)	C1.3